

PRODUCT SPECIFICATION

Model	DAF(60/STC35)	DAF(60/STC45/47/50)	DAF(60/STC49)
STC/Rw Rating *ASTM E90* (BS EN ISO 717)	STC35	STC45/47/50	STC49
Door Leaf Material Door Frame Material	Timber	Metal	Metal
Min.Thickness(mm)	50	53	66
Fire Rating (Integrity/Insulation) *BS EN 1634-1:2008*	60/60	120/60	120/120

Smoke Control *BS EN 1634-3:2004*	Available
--------------------------------------	-----------

Cladding	Veneer/ PU Paint/ G.M.S/ Aluminum Laminate Plastic Sheet #304 or #316 Stainless Steel
----------	---

Finishing	Any RAL Code
-----------	--------------




STC/Rw
35-49/50

PRODUCT SPECIFICATION

STC RATING

LEVEL OF SPEECH HEARD

STC30	Loud Speech Understood
STC35	Loud Speech Heard But Not Understood
STC40	Loud Speech Audible As a Murmur
STC45	Some Loud Speech Barely Audible
STC47	Hearing Strained to Hear Loud Speech
STC50	Loud Speech Not Audible



CONTACT

info@decoplus.com.hk

+852 2416 3618

www.decoplus.com.hk

Unit 1902, International Trade Centre,
11 Sha Tsui Road, Tsuen Wan, Hong Kong